

**From:** [Elliott, Ross](#)  
**To:** [Helms, Greg](#)  
**Subject:** RE: Chromium Mutagenicity Correction  
**Date:** Thursday, June 06, 2013 11:23:03 AM

---

Yep, thanks.

---

**From:** Helms, Greg  
**Sent:** Thursday, June 06, 2013 11:23 AM  
**To:** Elliott, Ross  
**Subject:** RE: Chromium Mutagenicity Correction

Thanks Ross-

As you might have seen in my note back to Rich, the Region 9 hexchrome value in the Agremax report relied on the New Jersey assessment.

---

Gregory Helms  
U.S. EPA  
Acting Chief, Waste Characterization Branch  
Office of Solid Waste and Emergency Response  
phone: 703-308-8845  
fax: 703-308-0514  
[helms.greg@epa.gov](mailto:helms.greg@epa.gov)

Address for regular/USPS mail:  
1200 Pennsylvania Ave. NW  
Mail Code 5304P  
Washington, DC 20460

Address for overnight/hand delivery mail:  
Two Potomac Yard  
2733 S. Crystal Dr.  
5th Floor; N-5611  
Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

[http://epa.gov/wastes/hazard/testmethods/sw846/new\\_meth.htm](http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm)

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:  
[www.epa.gov/epawaste/inforesources/pubs/orientat/](http://www.epa.gov/epawaste/inforesources/pubs/orientat/)

---

**From:** Elliott, Ross  
**Sent:** Thursday, June 06, 2013 10:59 AM  
**To:** Helms, Greg  
**Subject:** FW: Chromium Mutagenicity Correction  
**Importance:** High

A bit of background.

---

**From:** Benware, Richard  
**Sent:** Thursday, May 16, 2013 12:47 PM  
**To:** Rudzinski, Suzanne; Celeste, Laurel  
**Cc:** Devlin, Betsy; Elliott, Ross; Hofmann, Lee; Newman, Amy; Huff, Mark J; Mills, Jason; Hodes, Colette  
**Subject:** Chromium Mutagenicity Correction  
**Importance:** High

Suzanne/Laurel,

U.S. FOIA Exempt (b) (5)

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

-Richard